

CATALOGUE

Traffic & Safety



香港荃灣橫龍街32-40號興盛工業大廈12字樓D室
Room D, 12/F., Houston Ind. Bldg., No. 32-40 Wang Lung St., Tsuen Wan, H.K.
Tel: (852) 3118 7916 Fax: (852) 3118 7917
E-mail: nc@hknewcentury.com
Website: www.hknewcentury.com



NEW CENTURY
SUPPLIES & ENGINEERING LTD.



點祇沙包甘簡單！
新一代水患救星
the world's most effective control of
flood and water damage



PVC 防水沙包，可加手抽

尺寸: 8" x 24" / 8" x 36"
* 可訂造特別尺寸 *
* 可絲印 logo *

厚度祇有 6 毫米易于儲存及連送
the thickness is only 6mm before use

吸水寶堵截水患功能，尤勝沙包
AbsorbbeeZ as sandbag alternative



室內廣角鏡
CODE:CM120
SIZE:12"/16"/18"



室外廣角鏡 (有眉)
CODE:CM130
SIZE:24"/32"/40"



球型室內廣角鏡
(八份一)
CODE:CM090



球型室內廣角鏡
(四份一)
CODE:CM180



球型室內廣角鏡
(二份一)
CODE:CM360



警示鏈
CODE:JL1
SIZE:0.25" x 50m



ZH1A 指揮棒
SIZE:540mm*45mm(直徑)



MP303 大聲公



地臺扇
SIZE:12"/14"/16"/18"/20"



落地扇



Mag-lite
黑色防水手電筒





LED 充電式手提探射燈
型號: ZK2183
規格: Cree T10W LED
工作時間: 約 6 小時
包括: 循環再用電池, 火牛, 插頭



警示帶 WARNING TAPE
雙色斜間貼及反光貼

Portable Sloping Plate 手提活动式斜板(折疊式)



型號	展開尺寸: 長 * 寬 * 高	閉合尺寸: 長 * 寬 * 高	淨重 KG
BJ56	560 x 750 x 55mm	560 x 375 x 55mm	5kg
BJ88	880 x 750 x 55mm	880 x 375 x 55mm	7.5kg
BJ120	1200 x 750 x 55mm	1200 x 375 x 55mm	11kg
BJ152	1520 x 750 x 55mm	1520 x 375 x 55mm	15kg



KH798



FM611(膠質)



FM612(膠質)



AM612(鋁質)

FM611 1-9 人膠質藥箱連急救用品
Size:275*195*130mm

FM612 10-49 人膠質藥箱連急救用品
Size:340*225*160mm

AM612 鋁質藥箱連急救藥品
Size:260L*445H*180Wmm



鋼頭鋼底安全鞋
Model:KPK701
Colour:Black
Size:34-47
Origin:China
Standard:EN20345



鋼頭鋼底高筒安全鞋
Model:KPK805
Colour:Black
Size:36-46
Origin:China
Standard:EN20345



防滑安全水鞋
Model:Jx020/Jx025
Colour:Black/White
Size:35-45
Origin:China
Standard:EN20347



鋼頭鋼底安全水鞋
Model:Jx803
Colour:Black
Size:39-46
Origin:China
Standard:EN20345

Aluminum Twin Ladders

ZJB Series

Material:Aluminum



Certifications
EN131

Load capacity
150kg

POWERFUL and STRONG

The aluminum Multi-Use Twin Stepladder ZJB has a heavy gauge aluminum extruded top and Slip-resistant foot pad.



MODEL	OPEN HEIGHT(M)	OPEN(cm)		CLOSE(cm)		
		width	depth	width	depth	height
ZJB-09	0.834	44.7	65.7	44.7	22.4	89
ZJB-12	1.123	50.0	81.2	40.0	22.4	119
ZJB-15	1.413	55.2	96.7	55.2	22.4	149
ZJB-18	1.703	60.4	112.3	60.4	22.4	179
ZJB-21	1.993	65.6	127.8	65.6	22.4	209
ZJB-24	2.283	70.7	143.3	70.7	22.4	239
ZJB-27	2.572	76.1	158.8	76.1	22.4	269
ZJB-30	2.862	81.3	174.4	81.3	22.4	299
ZJB-33	3.152	86.5	189.9	86.5	22.4	329
ZJB-36	3.442	91.8	205.4	91.8	22.4	359

DR.LADDER

TRESTLE FIBERGLASS LADDER

TR - DFB Series



ANSI **FIBREGLASS**
MAX LOAD CAPACITY **150 kg**

Item Number	Steps	Dimensions (mm)			Weight (kg)
		W	D	H	
TR - DFB 02	2	407	533	500	4.6
TR - DFB 03	3	448	730	790	6.4
TR - DFB 04	4	489	927	1078	9
TR - DFB 05	5	529	1123	1367	10.8
TR - DFB 06	6	570	1320	1655	12.6
TR - DFB 07	7	611	1517	1945	14.3
TR - DFB 08	8	652	1713	2233	16.5
TR - DFB 09	9	693	1910	2523	18.8
TR - DFB 10	10	733	2107	2811	21
TR - DFB 11	11	774	2304	3101	23.5
TR - DFB 12	12	815	2500	3388	26
TR - DFB 13	13	856	2697	3678	28.3
TR - DFB 14	14	895	2893	3965	30.6
TR - DFB 16	16	977	3287	4545	35.2



DR.LADDER



HOUSEHOLD STEP LADDER

HHL-SAS Series

EN-131 **ALUMINIUM**

MAX LOAD CAPACITY **150kg**




Item Number	Steps	Dimensions(mm)		
		W	D	H
HHL-SAS 02	2	397	530	995
HHL-SAS 03	3	421	680	1215
HHL-SAS 04	4	444	830	1435
HHL-SAS 05	5	467	1000	1655
HHL-SAS 06	6	491	1150	1875
HHL-SAS 07	7	516	1290	2100
HHL-SAS 08	8	537	1470	2320



PLATFORM FIBERGLASS LADDER

PY-SFY Series

FIBERGLASS
ANSI



LADDER SPECIFICATIONS


Item Number	Steps	Dimensions(mm)			Container Capacity		
		W	D	H	20'	40'	40'HQ
PL-SFY 03	3	643	1147	1790	196	406	462
PL-SFY 04	4	679	1346	2054	166	334	390
PL-SFY 05	5	716	1540	2335	104	208	306
PL-SFY 06	6	753	1740	2560	52	108	136

輕便小水馬
PORTABLE WATER BARRIER




- 產品環保安全
- 安裝搬運輕便
- 獨特設計美觀
- 適合學校、廣場、公園、停車場等場所使用。
- 多款顏色可供選擇 (紅、白、藍、黃)

CODE: WB23
SIZE: 1083mmL x 600mmH x 260mmW
WEIGHT: 6KGS



CODE: WB03B
SIZE: 1500mmL x 920mmH x 350mmW



CODE: WB03
SIZE: 1450mmL x 810mmH x 500mmW



活動四摺膠欄
Code: PB300
Size: 1100mmH x 600mmW



迷你型活動四摺膠欄
Code: PB500
Size: 500mm x 500mm



Code: PB300-GREY
Size: 24"W x 43"H



Code: PB500-BLACK
Size: 500W x 585H (mm)



特大三摺膠欄 (擋水牌)
Code: PB600
Size: 1000mm x 1000mm



橙色圍網
BARRIER FENCING
Size: 1M*35M



型號: PVC 圍欄帶
尺寸: 3" * 400M
3" * 500M
內容: 可訂造



路政署款式 (螢光黃)
CODE:RV210G



路政署款式 (螢光紅)
CODE:RV210R



RV168R 反光衣



日本款式
CODE:RV130G



歐陸款式
CODE:RV230G



歐陸款式
CODE:RV230R



三間款式
CODE:RV170R



三間款式
CODE:RV170G



特製牛仔布反光衣
CODE:RC120



閃燈反光衣
CODE:RV140



VB120G 反光帶



VB001 反光膠帶



Armband 反光手帶
CODE:RB100



螢黃色反光套裝雨衣
CODE:RC160



藍色反光套裝雨衣
CODE:RC150



薄身單衫雨衣
CODE:RC220



薄身套裝雨衣
CODE:RC210



防護衣
Coveral



燒焊皮圍裙
Leather Apron



PF-CV93 冷凍背心



即業雨衣



醫生袍



風琴式帽子 (不織布)



不織布鞋套

3M 8210 N95
隔濾非油性粉塵



8210V N95
隔濾非油性粉塵



8810 FFP2
隔濾石棉塵



9310 FFP1
隔濾非油性粉塵



9312 FFP1
隔濾非油性粉塵



3M 1110 有繩耳塞



3M 1110 耳塞



BILSOM 303 耳塞



HOWARD LEIGHT
S-30R
有繩安全 (多次性) 耳塞



HOWARD LEIGHT
S-30
有繩安全海綿耳塞



EP167 耳罩



3M 1425 耳罩



Howard Leight L2F
(Folding 可摺式)



Howard Leight L3
(高音式)



CLIMAX 安全帽
原產地：西班牙



CENTURION S10
安全帽連可伸縮護目鏡



CENTURION CONCEPT S08
透氣安全帽



Y-type Chin Strap
Y- 型下巴帶



WG-25 燒焊眼罩



UVEX S212 (shade 3.0)
UVEX S212 (shade 5.0)



UVEX S2508 (shade 3.0)
UVEX S2509 (shade 5.0)



UVEX S3153 (shade 3.0)
UVEX S3155 (shade 5.0)



密閉空間設備
三腳架、吊機、
氣體、測試儀



多用途降傘式安全帶
型號：HKW-4501



Dailove 102
防凍手套



TOWA 42-474
隔熱手套



Reflective Oversleeve
Rh08 反光袖
Size:380 x 190mm



700mmH 連身雪糕筒
CODE:TC700



710mmH 沙底雪糕筒
CODE:TC160



300/450mmH 迷你雪糕筒
CODE:TC180



700mmH 連身雪糕筒
CODE:TC600



750mm/980mm 雪糕筒
CODE:TC120



850mmH 反彈柱
CODE:TC320



750mm/1MH/1.2MH 反彈柱
CODE:TC300



TC720 鐵欄柱



TC500 扁身交通柱
尺寸: 750/1000/1200mm



800mmH 反彈柱
CODE:TC340



750mmH PVC 反彈柱
CODE:TC613



750mmH/1MH 注水式立柱
CODE:TC800



770mmH 方型沙底筒
CODE:TC250



770mmH 方型雪糕筒
CODE:TC240



770mmH 伸縮雪糕筒
CODE:TC400



1MH 石屎座連柱
CODE:TC900
WL-100



B 字架 (膠架 / 鐵架)
CODE:B110/B100

Traffic Cone Cover
可絲印:
各種內容雪糕筒套



Model: TC-3, 1m(L), 2m(L)
TC-3 (伸縮棒)
Size range: 1.3mL-2.3mL
Colour: Red & White/
Yellow & Black



B-1



B-2



CODE:RB168A
SIZE:1950MML × 1000MMH



CODE:RB148A / RB148B
SIZE:1.5ML × 1MH / 2ML × 1MH

Expandable Barrier 不銹鋼活動式伸縮圍欄閘



可定購不同長度

PFSSB003 不銹鋼活動式伸縮圍欄閘
Size:(可伸 6m) × 1300mmH × 460mm



鋁質活動式伸縮圍欄閘
高度: 1.3M / 1.5M / 1.8M
長度可以訂做 (每米計算)



NC237 道路路障
高度: 1m/1.5m/1.8m



CODE:RB340 (塑膠)
SIZE:(510mm-3.5ML) × 940mmH



CODE:RB338 (鐵焗漆)
SIZE:400mm-3.5ML × 950mmH



NC238 道路路障
高度: 1m/1.5m/1.8m



SAS PRODUCTS CATALOGUE

VOLUME 14



HD1



HD2



HD3

SAS SUPACLAMP DUO 3 MODELS AVAILABLE

1. Insurance approved SUPDUO
2. Insurance approved and Sold Secure Silver SUPSILV (Caravans) and Gold (cars)
3. Insurance approved and Sold Secure Gold Approved SUPG

- Available in plastic carry case or smart printed box
- Fits steel and alloy wheels 10-15" rims, up to 225 size tyres
- Covers a wheel nut and locks securely around the wheel.
- Superbly strong
- Twin locking mechanism for maximum security
- Fits in seconds ideal for storage or touring
- INSURANCE AND SOLD SECURE APPROVED



Personal security & parking control of low profile sport car, private car, motorcycle (excluding scooter)
Model: Barracuda A B C


Model: Barracuda A
To Fit Tyres: Dia 18" to 22" in height
For tyre width 6" - 10"
e.g. private & low profile cars, spacewagon, van, 3.5 ton lorry

Model: Barracuda B
To Fit Tyres: Dia 28" to 32" in height
For wider tyre width up to 13"
e.g. jeep, light bus, lorry up to 10 ton lorry

Model: Barracuda C
To Fit Tyres: Dia 36" to 40" in height
For wider tyre width up to 13"
e.g. lorry over 10 ton, truck, coach



Model: SAS Clamp HD1
To Fit Tyres: Dia 10" to 15" in height
For tyre width upto 8"



Model: WL100



方角護角膠
Code: CP800/CP1000/CP1200
Size: 800/1000/1200mmL



圓角護角膠
Code: CR550/CRP800
Size: 500mmL/800mmL



貨臺防撞膠
Code: PF250
Size: 1000 x 200 x 30mmL



貨臺防撞膠擋板
Code: CB325
Size: 325 x 295 x 100mm



WL140
閃燈



WL240
紅燈罩閃燈



TB200
10" 指挥棒

TB100
21" 指挥棒



LE38
太陽能閃燈



WL180
强光閃燈



LED 照明燈
5W/10W/20W/30W



6V 電池



KM-12(12V)
KM-24(24V)
4" 黄色轉燈 (三脚)



"Y-06" LED
汽車磁石閃燈
12V/24V




汽車磁石轉燈
橙黄色或紅色



CG100-P
防退膠頂



塑膠馬路釘 (反光片)



鋁質馬路釘
(反光珠 / 反光片)



ALEX128 減速小路拱
Size:250 × 350 × 50mm(中段)
Size:190 × 350 × 50mm(端頭)



ALEX338 減速大路拱
Size:500 × 430 × 50mm(中段)
Size:210 × 430 × 50mm(端頭)




魚尾路拱
Size:400 × 400 × 60mmH



PF158 電線槽路拱 (5 綫)
PF138 電線槽路拱 (3 綫)



Size:900 × 500 × 50mmH
Size:1000 × 300 × 50mmH



SLC 減速特高大路拱
Size:500 × 430 × 70mm(中段)
Size:210 × 430 × 70mm(端頭)



行人踏板 Walking Platform
Size:800mmW × 1400mmL × 50mmH

menex MENEX Speed Ramps, UK



50mm Speed Ramp Mid Section
Height:50mm
Lenght:500mm
Width:420mm
Weight:8kg
Color:Yellow or Black
Reflector:white
Material:Recycled Plastic




Expansion Bolts
10mm × 4nos

Easy to install.Bolt down for permanent fixing.Checker plate pattern gives extra grip,integral reflectors.Suitable for light vehicles and HGV's.



50mm Speed Ramp End Section
Height:50mm
Length:210mm
Width:420mm
Weight:2.5kg
Color:Yellow or Black
Material:Recycled Plastic
Expansion Bolts
10mm × 2 nos



尺寸 :mm

標誌及編號	道路語言	尺寸及大小編號		
 TS101	● 停車及讓路	7	750	H
		9	900	H
		12	1200	H
 TS102	● 讓路給大路上的車輛	6	600	H
		7	750	H
		9	900	H
		12	1200	H
 TS103	● 人手操作的臨時（停）字標誌	9	900	D
 TS104	● 人手操作的臨時（去）字標誌	9	900	D
 TS105	● 停車 警方使用的標誌	6	600	D
 TS106	● 祇準向前駛 （在路口設立）	2	260	D
		3	300	D
		4	450	D
		6	600	D
		7	750	D
		9	900	D
		12	1200	D
 TS107	● 左轉 （如符號方向相反，則右轉）	2	260	D
		3	300	D
		4	450	D
		6	600	D
		7	750	D
		9	900	D
		12	1200	D
 TS109	● 靠左行駛 （如符號方向相反，則右轉）	2	260	D
		3	300	D
		4	450	D
		6	600	D
		7	750	D
		9	900	D
		12	1200	D
 TS110	● 靠右行駛 （如符號方向相反，則左轉）	2	260	D
		3	300	D
		4	450	D
		6	600	D
		7	750	D
		9	900	D
		12	1200	D
 TS111	● 前面路口左轉 （如符號方向相反，則右轉）	2	260	D
		3	300	D
		4	450	D
		6	600	D
		7	750	D
		9	900	D
		12	1200	D
 TS113	● 慢駛。警方在緊急時使用的標誌	8	850	H
		10	1075	H
		12	1200	D
 TS114	● 行人優先使用區	3	450	D
		6	600	D

尺寸 :mm

標誌及編號	道路語言	尺寸及大小編號		
 TS115	● 所有車輛不準駛入	2	260	D
		3	300	D
		6	600	D
		7	750	D
 TS116	● 禁止一切車輛駛入 特許車輛除外	4	450	D
		6	600	D
		7	750	D
		9	900	D
 TS117	● 禁止汽車駛入	3	350	D
		4	450	D
		6	600	D
		7	750	D
 TS118	● 禁止巴士駛入	4	450	D
		6	600	D
		7	750	D
		9	900	D
 TS119	● 禁止公共小巴士駛入	4	450	D
		6	600	D
		7	750	D
		9	900	D
 TS120	● 禁止貨車駛入	4	450	D
		6	600	D
		7	750	D
		9	900	D
 TS	● 禁止汽車駛入，電單車及機動三輪車除外	4	450	D
		6	600	D
		7	750	D
		9	900	D
 TS	● 禁止電單車及機動三輪車駛入	4	450	D
		6	600	D
		7	750	D
		9	900	D
 TS121	● 巴士綫，祇準專利巴士駛入	7	750 × 1250	L
		9	900 × 1600	L
 TS125	● 巴士綫，祇準專利及非專利巴士駛入	7	750 × 1250	L
		9	900 × 1600	L
 TS126	● 反向巴士綫	7	750 × 1250	L
		9	900 × 1600	L
 TS129	● 巴士綫終止	5	525 × 825	L